

Date Logged: December 8, 2020
 Logged by: M. Dyba
 Equipment Type: Mini Excavator
 Test Pit Location: North East Corner of Parcel (east pit)

Log of TP-1

DEPTH (FT)	LITHOLOGY	MATERIAL DESCRIPTION	DEPTH (FT)	SAMPLES			CORRECTED BLOWS/FOOT	DRY DENSITY (pcf)	MOISTURE (%)	Piezometer
				UNDISTURBED	DRIVE	BULK				
		Ground Surface Elevation: T.B.D.								
1		SILT LOAM 0 - 26" - 10YR4/3 Dark Brown slightly moist, grass roots, weak, little to no aggregate	1							
2			2							
3		LOAMY SAND W/ GRAVEL 26" - 60" - 10YR4/3 Dark Brown dry, very weak, approximately 20% gravel up to 4" cobbles	3							
4			4							
5			5							
6		GRAVELLY SAND 60" - 96" dry, very weak, up to 10" cobbles	6							
7			7							
8		Bottom of test pit @ 8.0' Dry, no evidence of groundwater	8							
9			9							
10			10							

Absaroka Investments Property, Pray MT
 Plat 196, Sec. 25, T5S, R8E
 Park County, Montana

CIVIL and STRUCTURAL ENGINEERING
PROJECT MANAGEMENT

BRIDGER ENGINEERS, INC.
 2150 ANALYSIS DRIVE, STE. B Ph# (406) 585-0590
 BOZEMAN, MONTANA 59718 Fax# (406) 582-1057

Figure No.

TP-1