

Date Logged: December 8, 2020  
 Logged by: M. Dyba  
 Equipment Type: Mini Excavator  
 Test Pit Location: Northern Side of Parcel (west pit)

## Log of TP-2

DEPTH (FT)	LITHOLOGY	MATERIAL DESCRIPTION	DEPTH (FT)	SAMPLES			CORRECTED BLOWS/FOOT	DRY DENSITY (pcf)	MOISTURE (%)	Piezometer
				UNDISTURBED	DRIVE	BULK				
		Ground Surface Elevation: T.B.D.								
1		<b>TOPSOIL</b> 0 - 6" - 10YR3/3 Brown  <b>SILT LOAM</b> 6 - 16" - 10YR4/3 Dark Brown slightly moist, grass roots, weak, little to no aggregate	1							
2		<b>LOAMY SAND W/ GRAVEL</b> 16" - 44" - 10YR4/3 Dark Brown dry, very weak, coarse sand, 20% gravel up to 4" cobbles	2							
3			3							
4		<b>LOAMY SAND</b> 44" - 56" - 10YR4/3 Dark Brown dry, very weak	4							
5		<b>GRAVELLY SAND</b> 56" - 108" dry, very weak, up to 10" cobbles	5							
6			6							
7			7							
8			8							
9		Bottom of test pit @ 9.0' Dry, no evidence of groundwater	9							
10			10							

Absaroka Investments Property, Pray MT  
 Plat 196, Sec. 25, T5S, R8E  
 Park County, Montana

BEI

CIVIL and STRUCTURAL ENGINEERING  
PROJECT MANAGEMENT

---

BRIDGER ENGINEERS, INC.

2150 ANALYSIS DRIVE, STE. B      Ph# (406) 585-0590  
 BOZEMAN, MONTANA 59718      Fax# (406) 582-1057

Figure No.  
  
**TP-2**